

CANNON DOWNRIGGERS



Cannon Mini – Troll

- Horizontal manual reel/brake
- Built-in 2½" C-clamp base
- Swivel-head depth counter
- 100ft/120lb test stainless steel cable

A0300002 Cannon Mini – Troll



Cannon Lake – Troll

- Clutch/brake system for controlled one-hand descent
- Swivel-head depth counter
- 18" co-polymer boom
- Line release
- Easy mount, tab – lock base
- Positive – locking rod holder
- 100ft/150lb test stainless steel cable

A3300145 Cannon Lake – Troll



Cannon Easi – Troll

- Clutch/brake provides safe, controlled weight descent
- 2ft co-polymer boom for greater reach & strength
- Easy-to-read 3-digit depth counter
- Tab lock base makes unit easy to mount & remove
- Positive-locking rod holder
- 150ft/150lb test stainless steel cable
- Line Release

A3300140 Cannon Easi – Troll



Cannon Uni – Troll Hp

- Downrigger, swivel base & telescopic boom in one package
- High-speed retrieve gets the weight up fast with little effort
- Saltwater-resistant construction for longer life
- Clutch/brake for smooth, one-handed operation
- Low-profile frame
- Low-profile mounting base
- High-visibility depth counter
- Ball storage hook prevents weight damage to boat
- Heavy-duty telescopic boom 2' to 5'
- 2-position mounting base
- Positive-locking rod holder
- 200ft/150lb test corrosion-resistant 316 stainless steel cable
- Line release

A3300222 Cannon Uni – Troll Hp



Cannon Mini Mag & Mag 10

- Positive Ion Control attracts fish
- Electric downrigger performance for smaller boats
- Low-amp-draw, 12v motor is guaranteed for life
- 2ft co-polymer boom Mini Mag only
- Compact, lightweight, easy to mount and remove
- Line release
- Optional Short-Stop automatically stops weight at water level
- Quick mount tab lock base
- Positive-locking rod holder
- 200ft/150lb test stainless steel cable
- Heavy duty telescopic boom 2' to 5' Magnum 10 only

A4400125 Cannon Mini – Mag

A4400185 Cannon Mag 10



Cannon Mag 15 Downrigger

- Positive Ion Control creates fish-attracting electric field around your boat
- Strong, compact low-amp-draw motor is guaranteed for life
- Heavy-duty telescopic boom
- Ball storage hook prevents weight damage to boat
- Short-Stop stops weight safely and automatically at water level
- Positive-locking rod holder (recommended maximum: 30-lb. test line)
- 400 ft./150-lb. test stainless steel cable
- 235 ft per minute retrieve

A4400202 Cannon Mag 15 Downrigger



Cannon Mag 20DT

- Interfaces with Humminbird Fishfinder/GPS chartplotter with CannonLink Option
- Includes downrigger, swivel base & heavy duty telescopic boom
- Positive Ion Control with adjustable voltage lets you regulate the fish-attracting electrical field around your boat
- 235ft per minute retrieve is the fastest on the market
- Short-Stop safely stops weight retrieve at water line
- Line release
- 3-digit depth meter tells you how deep you are
- Ball storage hook prevents damage to boat
- Easy-to-use toggle switch
- Positive-locking rod holder
- 400ft/150lb test corrosion-resistant stainless steel cable

A4400206 Mag 20DT



Cannon Digi Troll

- Positive Ion Control with adjustable voltage lets you regulate fish-attracting electrical field around your boat
- Electronic memory remembers 5 different depths
- Low Voltage Warning System
- Soft-Stop slows weight to prevent cable stress
- Auto-up automatically stops weight at water level
- Line release
- Optional bottom tracking (with transducer purchase)
- Ball storage hook prevents weight damage to boat
- Heavy-duty telescopic boom 2' to 5'
- Positive-locking rod holder
- 400ft/150lb test corrosion-resistant 316 stainless steel cable
- Mounting base

A5500456 Cannon Digi – Troll IV

S1491072 Cannon Digi Troll Transducer



S2207001 Cannon Lock Tab Base
Sml Body



Stainless Steel Mount
S2250928 Gimbal Mount 27°
S2250929 Gimbal Mount 90°




S2250009 Cannon Uni - Release



Telescopic Outrigger Kit Complete
Kit contains:
1 set 15ft fiberglass outrigger poles
1 set Outrigger pole holders
1 Kit Rigging kit

- 88251** Telescopic 15ft Outrigger Kit
- 88770** S/S Tube Only
- 88780** S/S Base Only



S2207002 Cannon Base/Low Mounting
Mid Body



S2200693 Cannon Deck Plate



SC1040 Scotty Snapper Line Release 48"
SC1042 Scotty Line Release
SC1046 Scotty Mini Line Release 18"



Mono Line
30m 400lb black mono line. Including
4 line crimps ideal for replacing rigging
lines on all outrigger poles.

- 88061** Mono Line



S2207323 Cannon Base/Std Mounting
Lg Body



Downrigger Weights Uncoated
S3LB 3lb Ball
S6LB 6lb Ball
S8LB 8lb Ball
S10LB 10lb Ball
S10LBD 10lb Pancake
S13LBD 13lb Pancake



S2250002 Cannon Terminator Kit



Outrigger Rigging Kit
2 Ea. "Total Recall" Outrigger Clips
2 Ea. Pro outrigger snubbers
2 Ea. SS eye straps
1 Ea. 400# Black mono line - 100ft
4 Ea. Line clamps

- 88121** Ultimate Outrigger Kit




S2207003 Cannon Swivel Base
Low Profile



Downrigger Weights Coated
50074488 8lb Ball Green
50074480 10lb Pancake Black
50074483 12lb Pancake Yellow



S2250148 Insulator & Clip (pack of 4)



S2207327 Cannon Clamp Mount



S2215392 Cannon 150ft Cable
S2215396 Cannon 200ft Cable
S2215397 Cannon 400ft Cable



S2250126 Cannon 3 Digit Depth Counter



Predator Game Chair

Revolutionary drop down backrest.
High Quality S/S Construction.
Flush mounted removable pedestal.
2 side mounted rod holders.
Adjustable gimbal.
Optional Adjustable / removable footrest.

- GC** Predator Game Chair



Deck Mount 50mm Tube
Deck mount Stainless Steel.
RHDECK10 Rod Holder Dixon 10°
RHDECK90 Rod Holder Dixon 90°



Flush Mount 27°
Polished stainless steel flange. Stainless steel tube with flange gasket and integral flip-up cap.
89121 S/S Flush Mount c/w Cap




Flush Mount 27°
MHR09B Flush 27° P/C Black 38mm dia.
MHR09W Flush 27° P/C White 38mm dia.
MHR10 Flush 27° Alloy 38mm dia



Rod Holder Tube 27°
Suitable for Rocket Launcher or weld-in.
MHRTUBE Plain Tube 27° 38mm dia.
MHRTUBESTUB Plain Tube (Stubbie) 27° 150mm (L) 38mm dia.



Flush Mount 44mm Tube
Deck mount Stainless steel.
RHFM90 Rod Holder Dixon 90°
RHFM27 Rod Holder Dixon 27°



Side Mount
Excellent where a flush mount holder can not be installed. Stainless steel tube and mounting brackets.
89311 S/S Side Mount




Flush Mount 27° Stubbie
MHR10STUB Flush 27° Alloy 150mm (L) 38mm



Side Mount 90°
MHR04 Side mt 90° P/C 38mm dia.
MHR05 Aft mt 90° Alloy 38mm dia.



Side Mount
Side mount Stainless Steel
RHSIDE Rod Holder Dixon 50mm tube



Rail Mount
Stainless steel with black plastic liner. Can be used on vertical or horizontal rails. Adjustable angle.
89151 S/S Rail Mount 1" Rail




Flush Mount 10°
MHR11 Flush 10° P/C 38mm dia.
MHR12 Flush 10° Alloy 38mm dia.



Side Mount 27° (Pair)
MHR02 Side mt 27° P/C 38mm.
MHR03 Side mt 27° Alloy 38mm.



Rail Mount
1" saddle and bolts suits RHSIDE
RMK1 Rail Mount Kit



Vertical Mount
Stainless steel with black plastic liner. Adjustable for rails to 1".
89141 S/S Vertical Mount




Flush Mount 90°
MHR13B Flush 90° P/C Black 38mm dia.
MHR13W Flush 90° P/C White 38mm dia.
MHR14 Flush Alloy 90° 38mm dia.



Side Mount (Pair)
MHR01 Side mt P/C c/w Saddles (pair) 38mm dia
MHR01B Side mt Alloy c/w Saddles (pair) 38mm dia



Rod Holder Tube
Stainless steel, suitable for rocket launcher or baitstation. 50mm tube.
RHTUBESS



Flush Mount 27°
Molded high impact plastic. Etched finish on flange. One-piece construction. Non-corrosive 27°.
89270 Black Rod Holder Angled



Rod Holder Tube 90°
Suitable for Rocket Launcher or weld-in.
MHRLTUBE Plain Tube 90° 38mm dia.



Rail Mount
Fits 25mm rail.
MHR08 Rail mt P/C White 38mm dia
MHR08B Rail mt Alloy 38mm dia





27° Flush Mount SQ

Flush deck rod holder (angled) heavy duty plastic for mounting through the deck at an angle. Accommodates gimbaled and standard fishing rods.

M60B Rod Holder Plastic Angled Black Sq/Top

M60W Rod Holder Plastic Angled White Sq/Top



Side Mount Rod Holder

Universal rod holder, heavy duty plastic for mounting on a vertical surface. Accommodates gimbaled and standard fishing rods.

M200B Rod Holder Plastic Uni Side Mt Black

M200W Rod Holder Plastic Uni Side Mt White



Fly Rod Holder

Innovative compact design, Allows hands free trolling with a fly rod. Fully adjustable and includes a safety strap.

SC265 Fly Rod Holder incl. SC241



Flush Mount

For all Scotty post mount rod holders. Dimensions 4" x 2" x 2" Bolting Dimensions 1 5/16" x 3 3/16".

SC244 Deck Mount Bracket



90° Flush Mount SQ

Flush deck rod holder (straight) heavy duty plastic for vertical mounting through the deck. Accommodates gimbaled and standard fishing rods.

M65B Rod Holder Plastic Straight Black Sq/Top

M65W Rod Holder Plastic Straight White Sq/Top



Powerlock Rod Holder

Positive locking, open style rod holder. Fibre reinforced engineering nylon, offers strength, resilience and reliability.

SC230 Powerlock Adjustable incl. SC421

SC231 Powerlock & SideWinder DM incl. SC244



Bait Caster Rod Holder

Holds a bait caster reel in a cushioned cradle. A slot in the front of the rod holder allows for a spinning reel to be securely held in position.

SC280 Rod Holder Baitcaster incl. SC241



Side/Deck Mount Bracket

Can be mounted on top or side of gunnel. For all Scotty post mount rod holders. Dimensions: 4" x 2" x 2". Bolting dimension: 1 5/16" x 3 3/16".

SC241 Mount Bracket Striker



Rod Holder Cap SQ

Oval top rod holder plug, soft and durable plastic for plugging the top of an empty rod holder.

M60P Rod Holder Plug Square Top Black



Rodmaster

8" tube style rod holder, fully adjustable. Includes with No. 241 deck or side mount.

SC250 Rod Master Adjustable



Sidewinder Rod Holder

The fastest rod removal on the market. 5/16" stainless steel for strength and durability. Triggerlock mount included.

SC222 SideWinder Side Mount

SC224 SideWinder Deck Mount



Rail Mount

Fits 7/8" & 1" diameter round rail, and 1" square rail. For all Scotty post mount rod holders. Works with No. 241 side / deck mount.

SC242 Rail Mount Adaptor Striker



27° Flush Mount Oval

Oval top rod holder, heavy duty plastic for mounting through the deck at an angle. Accommodates gimbaled and standard fishing rods.

M63B Rod Holder Plastic 27° Black Oval Top

M63W Rod Holder Plastic 27° White Oval Top



Rod Master 2

Fibre reinforced engineering nylon offers strength, resilience and reliability. Includes SC241 deck or side mount with removable gimbal pin and front slot for spinning reels.

SC350 Rod Master 2



Gimbal Mount

Allows the use of Scotty rod holders with factory installed flush mounted rod holders.

SC253 Gimbal Mount



Clamp Mount

Fully portable mounting option for all Scotty rod holders, works with a No. 241 combination side / deck mount (not included). Made from anodized aluminum and stainless steel.

SC249 Clamp Mount Bracket



Rod Holder Cap Oval

Oval top rod holder plug manufactured from soft and durable plastic for plugging the top of an empty rod holder.

M63P Rod Holder Plug Oval Top Black



Striker Rod Holder

New stainless steel reinforced post, Larger opening with easy lock / unlock ring. The inner support rotates with the rod to instantly remove and "strike" simultaneously.

SC240 Striker & Bracket



Boom Rod Holder

Fits Scotty Downrigger booms. Bolts through the boom.

SC255 Downrigger Boom Fits 1 3/4"

SC258 Downrigger Boom Fits 1 1/4"



Rod Holder Storage
Single rod holder. Holes are provided for screw mounting either individually or in multiples on a rack.
89391 Rod Holder Single



IKI Spike
Kills fish using, "Iki Jimi" technique. Dishwasher safe.
EX001 Iki Spike



Rod Holder Storage
The 2 Rod holder and storage rack have a handy place to store your pliers and fillet knives.
50091420 Rod Holder & Storage Rack 2 Rods



Fish Hook Remover
Allows simple removal of hook. Stainless Steel Remover, will not rust. Promotes good practice of catch and release.
EX002 Hook Remover



Rod Holder Storage
The 3 Rod holder and storage rack have a handy place to store your pliers and fillet knives.
50091430 Rod Holder & Storage Rack 3 Rods




Fishermans Pliers
Heavy Duty a must for all fisherman stainless steel with vinyl covered grips. Heavy duty cutting blades. Double pivots for added power. Spring loaded
87001 Pliers



Rod Holder Storage
Black ABS Plastic frame with slit closed-cell foam insert. Will hold 3 fishing rods securely.
89501 Rod Holder Storage Rack 3 Rods Screw Fitting Foam Folder



Dixon Bait Station
Bait Station complete with large cutting board. 3 rod holders and 2 drink holders. Cutting board size 610(L) x 490(W) x 170(H).
BBFL3R Large Bait Station
Other sizes and options available. P.O.A



DIXON



Chair Rod Gimbal
Triple chrome plated cast brass. Projects 4 1/4" x 3 1/4"H x 4 1/4"W. Tubular. Fits 1" O.D. tubing
89181 Chair Rod Gimbal Mount CPB

Notes

