



**Easyfit Single Battery Switch**

Mini Battery Selector Switch. this offers a simple economical way of separating two batteries. Continuous rating 275 Amps.

**700** Battery Switch



**Voltage Sensitive Relay (VSR)**

Designed for situations where a battery charger or second charging source is used into the house battery bank.

**710-125A-DS** Dual Sense VSR

**710-125A-12V** Voltage Sensitive Relay

**710-125A-24V** Voltage Sensitive Relay



**Dual Insulated Studs**

**IS-6MM-2** 2 x 6mm Stud

**IS-10MM-2** 2 x 10mm Stud

**IS-10MM-2/L** 2 x 10mm Linked Stud

**IS-10MM-8MM** 1 x 10mm Stud and 1 x 8mm Stud



**6 Way Switch Panel**

Fitted with 6 x 2 way on/off switches. Red LEDs indicate systems on and has a removable cover which conceals attachment screws. The panel is water proof to IPX5 rating.

**CSP6** 6 Way Switch Panel  
158H x 112W x 65D

**CSP6F** 6 Way Switch Panel w/Fuses



**Contour Single Battery Switch**

Can be used as a stand alone unit or locked together with other switch's. Continuous rating 275Amps.

**701** Battery Switch



**Battery Distribution Clusters**

Using a VSR it ensures you will always have a fully charged reserve battery.

**714-100A** Single Engine 2 Batteries



**Stud Covers**

**ISC-10/BK** Negative Stud Cover

**ISC-10/R** Positive Stud Cover

**ISC-6-2** Double 6mm Stud Cover



**Spray-Proof Switch Panels**

Compact panel size Includes spray-proof inline fuse holder and fuses. Waterproof power socket on WPS models, rated for 16 Amps

**900-2WP** 2 Way Switch Panel

**900 - 3WPS** 3 Way Switch Panel & Socket

**900 - 4WP** 4 Way Switch Panel

**900 - 5WPS** 5 Way Switch Panel & Socket

**900 - 6WP** 6 Way Switch Panel



**Heavy Duty Single Battery Switch**

Suits Larger vessels continuous rating 600Amps.

**720** Heavy Duty Battery Switch



**716-SQ100AVSR** SQ Cluster w/VSR



**ATC Fuse Holder**

Uses contour lock system allows you to module fuse holders together. Maximum current 30Amps per circuit. Maximum 100Amps per block.

**ATC-6W** 6 Way Fuse Holder Screw Terminals

**ATC-6W-QC** 6 Way Fuse Holder Quick connect Terminals



**Dual Battery Switch HD**

Rated 350 amps Continuous. Intermittent 500 amp.

**721** Dual Battery switch BEP



**716-H-100AVSR** Horizontal Cluster w/VSR

**716-V-100AVSR** Vertical Cluster w/VSR



**Buzz Bar**

Tin plated brass bus material. Voltage rating maximum 48V DC

**BB-4S-150A** 4 Stud Busbar

**BB-6W-2NC** Multi 2 x 6 way Bus

**BB-6W-2S** 1 x 6 way Bus

**BB-12W-2NC** Multi 2 x 12 way Bus

**BB-12W-2S** 1 x 12 way Bus

**BB-24W-2S** 1 x 24 way Bus



**Switch Cluster Single Engine 2 Battery Banks**

**715H** Single Engine Battery Distribution Cluster. (horizontal)

**715V** Single Engine Battery Distribution Cluster. (vertical).



**Insulated Studs**

Made from high temperature plastic bases and tinned, copper or brass studs.

**IS-6MM-1** 6mm Negative Stud

**IS-6MM-1/R** 6mm Positive Stud

**IS-10MM-1** 10mm Negative Stud

**IS-10MM-1/R** 10mm Positive Stud



**Spray-Proof Panels**

Replaceable clip-on contour wave. Customised colours available. LED back light for night time viewing. Con-sealed mounting screws.

**CG2 - 2W** 2 Way Contour Switch

**CG2 - 4W** 4 Way Contour Switch

**CG2 - 6W** 6 Way Contour Switch

**CG2 - 2WF** 2 Way Contour Switch Fused

**CG2 - 4WF** 4 Way Contour Switch Fused

**CG2 - 6WF** 6 Way Contour Switch Fused





**12V DC Sockets & Plugs**

Unique interconnecting system that securely locks the plug into the socket.

- 12VPG** Plug
- 12VRC** Round Socket
- 12VRC-MP** Rectangular Socket



**Connect Pro**

50 Amp plug and socket, ideal for heavy duty DC connection suits 6mm cable.

- 12VBP** Heavy Duty Plug
- 12VBR** Heavy Duty Socket



**Gas Detector**

Will detect LPG, Petrol and CNG fumes. Supplied with one sensor with an option for a second sensor. 12V or 24V systems. 600-GDL has the same features as the 600-GD with the ability to switch a valve on. Features test button and mute.

- 600-GD** Gas Detector
- 600-GDL** Gas Detector w/Switch
- BL-SL-L** Optional Second Sensor



**Fume Detector**

Clearly visible LED for safe and alarm mode. Audible alarm with test function, supplied with sensor which is capable of detecting combustible gases.

- FD-2** Fume Detector



**Battery Box**

Black molded high density polyethylene. Complete with hold down strap and mounting hardware. Fits 24 Series: 266 x 184 x 254mm. Fits 27 Series: 355 x 184 x 254mm

- 22060** Sml Battery Box
- 22080** Lge Battery Box



**Battery Tray**

Meets U.S. Coast Guard regulations for keeping batteries in place. Complete with stainless steel hold down rods, nuts & washers.

- 22021** Fits standard 24 Series batteries. I.D.: 279 x 181 x 190mm
- 22041** Fits standard 27 Series batteries. I.D.: 320 x 184 x 190mm
- 22011** XL Tray Fits 29/31 Series 330 x 181 x 254mm (With Strap).



**Heavy Duty Battery Tray**

Complete with stainless steel hold down rods.

- 21961** Sml HD Battery Tray Fits 24 Series 263 x 173 x 190mm
- 21981** Lge Battery Tray Fits 27 series 320 x 173 x 190mm



**Universal Tie down**

Polyprop' hold down strap 1350mm (54") inc s/s hardware.

- 50080400** Strap



**Battery Terminals**

Clamp type wing nut terminal made of lead alloy. Brass plated wing nuts. 3/8" positive stud and 5/16" negative stud. Fits all standard battery posts.

- 13671** Terminals



**Battery Terminal Covers**

Used to accommodate wing nut battery terminals (model 13671). Contains 1 red and 1 black boot protector. Designed for use with 4 and 6 gauge cables.

- 13701** Covers



**Single Battery Switch**

Red plastic housing with large black plastic knob. For use with systems under 50 volts - 250 amps continuous/360 amps intermittent. 66h x 133dia.

- 11551** Single Switch



**Dual Battery Switch**

For systems under 50 volts. Permits selection between batteries for starting and charging or operation of both in parallel. 250 Amps continuous/360 Amps intermittent. 66h x 133dia.

- 11501** Dual Switch



**Mini Battery Selector Switch Blue Sea**

This offers a simple economical way of separating two batteries. 250 Amps continuous. 375 Amps intermittent. Surface or panel mount.

- 61-9006** Mini Battery Switch



**Circuit Tester**

Used to locate grounds, open circuits and shorts. Can be used with 6 or 12 volt systems. 8" long wire with alligator clips.

- 15041** Circuit Tester



**ATC Fuse Holder**

Used in most recreational vehicles. Comes with cap to seal out moisture. Brass electrical contacts.

**12761** ATC Fuse Holder inc. 10 Amp Fuse. 16 Gauge Wire

**12771** ATC Fuse Holder inc. 30 Amp Fuse. 12 Gauge Wire



**Terminal Blocks**

Nickel plated brass terminals. Protective insulator barrier strips. Rated for 30 Amps @ 12 volts.

**13561** 4 Gang

**13571** 6 Gang

**13581** 8 Gang

**13591** 10 Gang



**Liquid Electrical Tape**

Forms a protective dielectric coating on electrical connections. Seals out moisture, prevents corrosion. Black, 4 oz.

**14201** Liquid Electrical Tape



**Extension Cord**

10 foot black coiled extension cord. 12 Amp, 150 watt.

**15051** Coiled Extension Cord



**Heavy Duty ATC Fuse Holder**

Extra heavy duty weatherproof fuse holder. 12 gauge wire. 30 Amp Max.

**12671** Heavy Duty ATC Fuse Holder



**Dual Buzz Bar**

Molded plastic base with brass hardware. Rated for 30 Amps at 12 volts.

**13501** 4 Gang Dual Buzz Bar

**13531** 6 Gang Dual Buzz Bar



**50 Amp Battery Clips**

Copper plated 50 Amp clips. 1" jaw opening.

**13651** 50 Amp Battery Clips



**Dual Power Outlet**

Converts any 12 volt cigarette lighter socket to dual power outlet. LED light indicates power. Fuse included.

**15061** Dual Power Outlet



**Waterproof Fuse Holder**

In-line fuse protects on board equipment from shorts and electrical problems.

**50031482** Waterproof Fuse Holder inc. 20 Amp glass fuse



**Single Buzz Bar**

Corrosion resistant construction. Moisture repellent bakelite insulator base. Solid brass buzz bar. Brass 1/4" dia. stud terminals and hex nuts.

**13631** 10 Gang Single Buzz Bar 146l x 31w x 26h.



**Accessory Socket with Clips**

Brass and plastic construction accessory plug for use directly with the battery. 12" of 18 gauge wire with 50 Amp battery clips.

**15031** Battery Clip Extension Socket



**Accessory Plug**

Nylon and nickel-plated. 12 volt. Universal. Fits into most 12v cigarette lighters.

**50031737** Plug Only c/w Wires



**Fuse Block ATC**

Heavy Duty black plastic molded base with brass ground bar.

**13301** 6 Gang ATC Fuse Block

**13311** 10 Gang ATC Fuse Block



**Cable Tie Kit**

A 1200 piece kit with multiple sized ties. Comes in a convenient plastic container. Perfect to store in the boat or garage.

**50031100** Cable Tie Kit



**Accessory Plug & Socket**

Nickel plated phosphor bronze and nylon. Will accept all other cigarette lighter type units. Equipped with weather seal cover and gasket. 12V. 10 AMP.

**15001** Accessory Plug & Socket

**15011** Socket Only

**15021** Plug Only



**Cable outlet**

Threaded cap and rubber gasket. For complete waterproofing of cable.

**10011** Water-tight Cable outlet 6mm



**Circuit Breaker**

**661-7000** Panel Mount Circuit Breaker 50 Amp. Ignition protected.



**Electrical Kit**

Electrical Kit 338 Pcs. Marine Grade with heat shrink tubing. Huge assortment.

**50031121** Electrical Kit



**S/S Chart light / Accessory socket**

Stainless steel spring and plate. Push on wires. 12 volt. Lighter handle contains on/off switch for chart light.

**15101** S/S Chart light / Accessory socket

**50031817** Socket Only



**Deck Connector**

Brass double contacts supplied complete with black plastic threaded knurled cap and chain. Insures positive watertight fitting.

**10161** Watertight Deck Connector Overall length: 70mm



**Cable Thru-Hull Fitting**  
Water tight thru-hull for cables. Accepts single or double cable. 50mm maximum hull 19mm hole.  
**17901** Black Thru-Hull  
**17921** White Thru-Hull



**Push Button Starter / Horn Switch.**  
12 Volt 15 Amp. 2 position Off/Momentary On.  
**11781** Push Button Starter / Horn Switch.



**Toggle Switch**  
Non-corrosive construction throughout. Durable, moisture repellent plastic housing. 2 Position: Off - On. 10 Amp 12V.  
**12061** Brass Mini Toggle Switch



**Rocker Switch**  
Snap mount thermo plastic housing. 12V - 15 Amps.  
**12411** Rocker Switch



**Universal Kill Switch**  
with 50" (127cm) coil type tether Black nylon casing. 5 Amps @ 12V.  
**11681** Universal Kill switch



**Push/Pull Switch 2 Pos**  
Heavy Duty Chrome plated brass face nut, washer and back-up nut Chrome plated plastic knob Stainless steel Springs Position: Off - On  
25A @ 6V DC - 15A @12V DC  
**11901** Brass Push/Pull switch



**Toggle Switch**  
Chrome plated brass handle, mounting stem and face nut.  
2 Position: Off - On. 25amp 12V.  
**12101** Brass Toggle Switch



**Contura Rocker Switch**  
Switches are vibration, shock, moisture and salt spray resistant. 20A @ 12V.  
**12801** on - off (SPST)  
**12881** (Mom.) off (SPST)  
**12921** (Mom.) off (Mom.) (SPST)  
**12961** on - off (SPST) Illuminated  
**12981** on - off - on (DPDT) Illuminated



**Kill Switch Keys**  
Includes Johnson/Mercury/Yamaha/Suzuki/Honda/Tohatsu.  
**11671** Assorted Kill Switch Key



**Push/Pull Switch 3 Pos**  
Heavy duty switch, first 'On', energises one circuit. Second 'On' energises both circuits. Brass hex back-up nut, brass washer, chrome plated brass face nut. Chrome plated plastic knob.  
Position: Off - On - On  
25A @ 6V DC - 15A @12V DC  
**11911** Brass Push/Pull switch



**Toggle Switch 3 Position**  
Black plastic paddle and locking ring with lever seal and knurled cap nut. On/Off/On for running lights and anchor lights separately. 15amp. 12V.  
**50031222** Plastic Toggle Switch



**Fused Switch Panel**  
Pre-wired. Brushed aluminum switch panels. Red lighted rocker switches. 10 Amp fuse holders. Includes fuses.  
**12531** 3-Gang Switch Panel (11.43cm x 8.9cm)  
**12541** 6-Gang Switch Panel (11.43cm x 16.5cm)



**Foot Switch**  
Foot control switch for manually operated (hand controlled) trolling motors. Features a 15° tilt angle for ease of operation. Has flip lever for continuous "on".  
**28101** 50 Amp Foot Control Switch



**Push/Pull Switch 3 Pos**  
Heavy Duty suited for anchor lights and a separate circuit for running lights brass hex back-up nut, brass washer chrome plated plastic knob  
Position: Off - On #1 - On #2  
25A @ 6V DC - 15A @12V DC  
**11921** Brass Push/Pull switch



**Toggle Switch 2 Position**  
Black plastic paddle and locking ring with lever seal and knurled cap nut. On/Off for lights, blowers and aerators. 15amp. 12V  
**50031202** Plastic Toggle Switch



**LED Switch Panel w/Breaker**  
These waterproof toggle switch panels come complete with push-button reset breakers, toggle switches, LED indicator lights and marine grade tinned wire.  
**50031284** LED 4 Gang Switch Panel 127mm x 114mm  
**50031286** LED 6 Gang Switch Panel 165mm x 114mm



**Starter Switch**  
3 Position: Off - Ignition - Start. 6 Terminals. 20 Amps @ 12V DC. Supplied with two keys. 37mm dia.  
**11651** Ignition Starter Switch



**Toggle Switch**  
Features a chrome-plated brass handle, stem and face nut with clearly marked on/off positions. 15amp 12V.  
**50031242** Brass Toggle switch



**Toggle Boot**  
Fits standard toggle switches. Protects against moisture and dirt. Brass threads. Corrosion resistant.  
**50031200** Toggle Switch Boot



**Pro Trim Bezel Switch**  
Helm mounted trim switch.  
**1-PT1000P** Pro Trim Bezel Switch