

WATER WITCH



Electronic Bilge Pump Control

Introducing the "Mini Witch" electronic bilge pump switch from Water Witch. The small and versatile replacement for the commonly used float switch. With all of the benefits of its predecessors, the Mini Witch offers one of the easiest installations possible with its new tab design. Temperature, humidity, or electrical noise will not effect this switch, nor will this switch interfere with other electronics.

101 Electronic Bilge Pump Control 15Amp 12V



Electronic Bilge Pump Control

Instead of an unreliable and short-lived mechanical float switch, why not use the original Electronic Bilge Pump Switch? The Water Witch @ 230 or 230-24 submersible electronic bilge pump switch allows boat owners to forever rid themselves of the archaic outdated float switch. Instead of an unreliable and short-lived mechanical float switch, the 230 has no moving parts, requires no adjustments and works in an oily bilge. This eliminates the chance of your battery dying or your pump burning out because of a jammed-on float switch. Built with an 8 second slosh delay to eliminate pump stutter, the switch continues to run the pump an additional 14 seconds after water has left the sensor to clear the output hose. Temperature, humidity or electrical noise will not effect this switch, nor will it interfere with other electronics.

230-12 Electronic Bilge Pump Control 20Amp 12V

230-24 Electronic Bilge Pump Control 15Amp 24V



Bilge Switch/Counter

Pump cycle counters are used to foresee problems in the bilge. However, how do you find, use and store that baseline? The solution is the ePanel C series, a clever extension of the BC-100 bilge counter. We've incorporated a single blade style fuse with cover into the face of the panel, making it easy to check and safer for your equipment and boat. Installation is easy and you may be able to use your existing wires. The ePanel C series allows you to combine your current manual on-off.

ePANEL3C-12 Bilge Switch/Counter 12V

ePANEL3C-24 Bilge Switch/Counter 24V



Bilge Counter w/Cycle

Pump cycle counters are used to foresee problems in the bilge. By comparing a counter's number against a known baseline, a worsening condition can be detected early. When pressed, the BC100 displays the pump count total since last reset, followed by the total counts from the past 24 hour, 7 and 14 day periods. To keep information current, the unit updates itself and recalculates the totals every 24 hours on a sliding scale. Remember, ship happens, know when it does.

BC100 Bilge Counter w/Cycle



High Water Sensor

Would you own a home without a smoke alarm? Then why would you have a boat without a high water alarm? Remember, water sinks boats. The model 23-xx (includes 23-12, & 23-24) high water sensor is the perfect solution for your high water level detection needs. It exceeds both the Canadian & U.S. Coast Guard standards and is currently in use by the U.S. Coast Guard. Designed to precisely monitor water levels, the 23-xx will only activate after detecting water for 3 continuous seconds, thereby avoiding false triggering. Once water has left the sensor, it will instantly turn off. The 23-xx is waterproof and impermeable to all bilge substances. It has no moving parts to fail or get stuck and easy to install. With any audible or visual alarm.

23-12 High Water Sensor 10Amps 12V

23-24 High Water Sensor 15Amps 24V



Digital Hour Meter w/Trip Reset

How do you know when it's time for a tune up? Or when it's time to change your oil or do maintenance? Knowing when to do preventive maintenance can be just as important as knowing what to do and how to do it. What if you did not have an odometer? The solution is the HM700 electronic digital hour meter with a trip reset. This hour meter is not only accurate but has no moving parts. Offered in either round or square design, the large L.E.D. display is easy to read. Use the trip reset to keep a maintenance schedule or for an alternative method for measuring gas consumption. Scrolling total counts up to 10,000 hours while the trip counts up to 99.9 hrs.

HM700 Digital Hour Meter w/Trip Reset



Audible Alarm w/Mute

Captains and crew want the ability to mute an audible alarm system. However, the concern is that the mute feature will accidentally be left on, rendering the audible alarm in-active. The new BP500 with Intelli-mute is the answer. Once the Mute button is pressed, Intelli-Mute first silences the audible alarm, leaving the back-lit button flashing as a visual reminder. If after 5 minutes, the alarm is still muted, Intelli-Mute turns off the mute feature. The audible alarm is then reactivated warning that an alarm condition is still present and needs to be resolved.

BP500 Audible Alarm w/Mute



Programmable Alarm

Have you ever left a pump running only to return to a mess or worse, a burnt out pump? Never forget your pump or blower is running again with the PA300 programmable alarm. At the touch of a button, this electronic audible timer provides preset times from 1 to 15 minutes. A stainless steel piezo buzzer is built into this stylish gauge to alert and remind boat owners.

PA300 Programmable Alarm



Bilge Pump

Ideal for pumping water out of small areas such as small boats, jet boats or PWC's. 1.5amp.

19261 450 GPH Bilge Pump 3 1/4" outlet



Livewell Pump 600 GPH

12V. 3/4" Hose size. 4" x 3/4" threads. Ignition protected. Includes straight and angle fittings.

19461 600 GPH Livewell Pump



Bilge Plumbing Kits

Includes 6ft hose, thru hull fitting and stainless steel hose clamps.

19441 Bilge Pump Installation Kit 3/4"

19451 Bilge Pump Installation Kit 1 1/8"



90 Skin Fitting

Designed for use with one back nut, unlike old style 90° thru-hull with both front and back nut.

18131 3/4" 90° White

18141 1 1/8" 90° White

232-TH1592 1 1/2" 90° White



Universal Bilge Pump

12 volt. Submersible. Marine grade tinned wires. Snaps into Rule, Attwood, Mayfair, and Johnson bases. Side and Base mount.

19211 600 GPH Bilge Pump 3/4" outlet 3amp

19221 800 GPH Bilge Pump 3/4" outlet 3.8amp

19231 1100 GPH Bilge Pump 1 1/8" outlet 4.1amp



Livewell Pump 1100GPH

Magnetic drive motor allows the pump to ingest large amounts of debris without damage. Horizontal or vertical mount.

275170021030 1100 GPH Livewell Pump



Bilge Hose

Bulk hose 50ft corrugated.

BPH34B 3/4" x 50ft

BPH118B 1 1/8" x 50ft



90 Skin Fitting

Designed for places where hose is difficult to route. Front and back nut.

18101 1 1/8" 90° White

18061 3/4" 90° White



Bilge Pump

Rugged white ABS plastic construction. 304 stainless steel fasteners. 12V.

19271 600 GPH Bilge Pump 3 1/4" outlet. 3.5amp

19281 1000 GPH Bilge Pump 1 1/8" outlet. 5.5amp

19291 1500 GPH Bilge Pump 1 1/8" outlet. 8amp

19301 2000 GPH Bilge Pump 1 1/8" 12amp



Portable Aerator

Easily converts any container to a livewell tank. Adjustable spray volume.

19471 12V Aerator Kit Portable



Stainless Steel Hose Clamps

HC6-17 Clamp 6 - 17mm

HC10-22 Clamp 10 - 22mm

HC15-27 Clamp 15 - 27mm

HC17-38 Clamp 17 - 38mm

HC19-44 Clamp 19 - 44mm

HC38-63 Clamp 38 - 63mm



Skin Fitting w/Strainer

Designed to enable a 3/4" passage through a transom or livewell. Perfect for remote mounted pumps.

18191



Self Priming Pump

Rubber impeller driven bronze pump 390 GPH 12V 10A use as bilge pump wash down pump etc. 1/2" inside thread 3/4" outside thread. Do not run dry.

19331 Self Priming Pump



12V Aeration/Pump System

Use as livewell pump wash down system or bilge pump. Converts any icechest or bait bucket into a livewell.

19481 Aeration Pump Kit



Skin Fittings

Chrome plated plastic Use in place of stainless steel thru-hulls.

17941 3/4"

17961 1 1/8"

17981 1 1/2"



Drain Tube

Durable plastic drain tube for motorwell, livewell or baitwell. Fits 32mm opening. Adjust from 50 - 100mm.

19121



Wash Down Pump Kit

Wash down pump 3.5 gpm complete with nozzle and filter.

272-4305144L Wash Down Pump Diaphragm Driven



Hand Bilge Pumps

SC544K Scotty Kayak Pump 15" 13 Pumps per Gallon

SC543K Scotty Kayak Pump 18". 10 Pumps per Gallon

5002326 Self Priming Hand Pump 24". Complete with 72" Hose



Skin Fittings

Molded plastic with broad flange.

18011 1/2" White

18051 3/4" White

18071 1" White

18091 1 1/8" White

18111 1 1/2" White

18151 3/4" Black

18171 1 1/8" Black



Self Bailing Scuppers

Automatically seals and drains self bailing decks. Polyethylene ball and PVC seal mounts transom above water line.

18271 Small Fits 3/4" to 1 1/2" opening

18281 Large Fits 1 1/2" to 3" opening



Scupper Valve
Flap allows water to exit and not enter, for boats with self-bailing cockpits. 73mm dia.
18261



Hose Nozzles
Adjustable spray with lockable lever.
79631 Brass Hose Nozzle
79601 Plastic Hose Nozzle



3-Way Bilge Control
Illuminated stainless steel 3 way bilge pump switch. Can be used with any 12V bilge pump.
19391 Bilge Pump Control Panel
89 x 50mm



Drain Plugs Brass
Cast flange 50mm od.
18751 Garboard Assy
18761 Plug Only



Shut-Off Connector
Non corrosive plastic dual valves, heavy duty handles not recommended for hot water.
79671 Y Shut-Off Valve



Bilge Blowers
Housing is mould, corrosion-proof ABS plastic. Built in mounting brackets. Ignition protected and spark proof.
41851 Bilge Blower 3" 12V 4amp
41841 Bilge Blower 4" 12V 4.5amp



Drain Plug
Screw type drain plug is constructed of black nylon and features an "O" ring for positive sealing. Fine threads maintain sealing under high vibration conditions.
18781 Fits 25mm dia. Hole



Float Switch
Activates pump automatically for use with all DC bilge pumps. Ignition protected. Marine grade tinned wires.
19401 Float Switch 15amp



Twist Bung
Fits 25mm hole, fully adjustable will not leak or jar loose.
18801 Brass
18891 S/S



Auto Float Switch
15amp Converts virtually any bilge pump to automatic operation. 115 x 76 x 63mm.
19411 Automatic Float Switch



Snap-Lock Bung
Rugged construction for durability with Neoprene seal. Mount from inside transom. Cam-action provides easy installation. Fits 25mm hole.
18901 S/S
18821 Brass



Auto Float Switch
Mercury Switch potted in urethane foam float.
19431 Auto Float Switch (Surebail)